

Compendium of references to recent stormwater research from NOAA

For more information contact Nat Scholz at NOAA – nathaniel.scholz@noaa.gov

Incardona, J.P., Carls, M.G., Day, H.L., Sloan, C.A., Bolton, J.L., Collier, T.K., and Scholz N.L. (2009). Cardiac arrhythmia is the primary response of embryonic Pacific herring (*Clupea pallasii*) exposed to crude oil during weathering. *Environmental Science and Technology*, 43:201-207.

Colman, J.R., Baldwin, D.H., Johnson, L.L., and Scholz, N.L. (2009). Effects of the synthetic estrogen, 17 α -ethinylestradiol, on aggression and courtship behavior in male zebrafish. *Aquatic Toxicology*, 91:346-354.

Laetz, C.A., Baldwin, D.H., Collier, T.K., Herbert, V., Stark, J., and Scholz, N.L. (2009). The synergistic toxicity of pesticide mixtures: implications for ecological risk assessment and the conservation of threatened Pacific salmon. *Environmental Health Perspectives*, 117:348-353. (Feature Article)

Linbo, T.L., Baldwin, D.H., McIntyre, J.K., and Scholz, N.L. (2009). Effects of water hardness, alkalinity, and dissolved organic carbon on the toxicity of copper to the lateral line of developing fish. *Environmental Toxicology and Chemistry*, 28:1455-1461.

Halvorsen, M.B., Wysocki, L.E., Chicoine, D.R., Stehr, C.M., Baldwin, D.H., Scholz, N.L., and Popper, A.N. (2009). Barging effects on sensory systems of Chinook salmon smolts. *Transactions of the American Fisheries Society*, 138:777-789.

Stehr, C.M., Linbo, T.L. Scholz, N.L., and Incardona, J.P. (2009). Evaluating effects of forestry herbicides on fish development using zebrafish rapid phenotypic screens. *North American Journal of Fisheries Management*, 29:975-984.

Baldwin, D.H., Spromberg, J.A., Collier, T.K., and Scholz, N.L. (2009). A fish of many scales: extrapolating sublethal pesticide exposures to the productivity of wild salmon populations. *Ecological Applications*, 19:2004-2015. (Feature Article)

Tierney, K.B., Baldwin, D.H., Hara, T.J., Ross, P.S., Scholz, N.L., and Kennedy, C.J. (2010). Olfactory toxicity in fishes. *Aquatic Toxicology*, 96:2-26.

Hatlen, K., Sloan, C.A., Burrows, D.G., Collier, T.K., Scholz, N.L., and Incardona, J.P. (2010). Natural sunlight and residual fuel oils are a lethal combination for fish embryos. *Aquatic Toxicology*, 99:56-64.

Macneale, K.H., Kiffney, P.M., and Scholz, N.L. (2010). Pesticides, aquatic food webs, and the conservation of Pacific salmonids. *Frontiers in Ecology and the Environment*, 9:475-482.

Baldwin, D.H., Tatara, C.P., and Scholz, N.L. (2011). Copper-induced olfactory toxicity in salmon and steelhead: extrapolation across species and rearing environments. *Aquatic Toxicology*, 101:295-297.

Incardona, J.P., Collier, T.K., and Scholz, N.L. (2011). Oil spills and fish health: exposing the heart of the matter. *Journal of Exposure Science and Environmental Epidemiology*, 21:3-4.

Tilton, F.A, Tilton, S.C., Beyer, R.P., Bammler, T.K., Beyer, R.P., Stapleton, P.L., Scholz, N.L., and Gallagher, E.P. (2011). Transcriptional impact of organophosphate and metal mixtures on olfaction: Copper dominates the chlorpyrifos-induced response in adult zebrafish. *Aquatic Toxicology*, 102:205-215.

Hicken, C.L., Linbo, T.L., Baldwin, D.W., Willis, M.L., Myers, M.S., Holland, L., Larsen, M., Stekoll, M.S., Rice, S.D., Collier, T.K., Scholz, N.L., and Incardona, J.P. (2011).

Sublethal exposure to crude oil during embryonic development alters cardiac morphology and reduces aerobic capacity in adult fish. *Proceedings of the National Academy of Sciences*, 108:7086-7090.

Feist, B.E., Buhle, E.R., Arnold, P., Davis, J.W., and Scholz, N.L. (2011). Landscape ecotoxicology of salmon spawner mortality in urban streams. *Public Library of Science ONE*, 6(8): e23424. doi:10.1371/journal.pone.0023424.

Weston, D.P., Asbell, A.M., Hecht, S.A., Scholz, N.L., and Lydy, M.J. (2011). Pyrethroid insecticides in urban salmon streams of the Pacific Northwest. *Environmental Pollution*, 159:3051-3056.

Spromberg, J.A. and Scholz, N.L. (2011). Estimating the decline of wild coho salmon populations due to premature spawner mortality in urbanizing watersheds of the Pacific Northwest. *Integrated Environmental Assessment and Management*, 4:648-656.

Incardona, J.P., Linbo, T.L., and Scholz, N.L. (2011). Cardiac toxicity of 5-ring polycyclic aromatic hydrocarbons is differentially dependent on the aryl hydrocarbon receptor 2 isoform during zebrafish development. *Toxicology and Applied Pharmacology*, 257:242-249.

Scholz, N.L., Myers, M.S., McCarthy, S.G., Labenia, J.S., McIntyre, J.K., Ylitalo, G.M., Rhodes, L.D., Laetz, C.A., Stehr, C.M., French, B.L., McMillan B., Wilson, D., Reed, L., Lynch, K.,

Damm, S., Davis, J.W., and Collier, T.K. (2011). Recurrent die-offs of adult coho salmon returning to spawn in Puget Sound lowland urban streams. *Public Library of Science ONE*, 6(12): e28013. doi:10.1371/journal.pone.0028013.

Incardona, J.P., Vines, C.A., Anulacion, B.F., Baldwin, D.H., Day, H.L., French, B.L., Labenia, J.S., Linbo, T.L., Myers, M.S., Olson, O.P., Sloan, C.A., Sol, S.Y., Griffin, F.J., Menard, K., Morgan, S.G., Smith, E.H., West, J.E., Collier, T.K., Ylitalo, G.M., Cherr, G.N. and Scholz, N.L. (2012) Unexpectedly high rates of early life stage mortality among herring spawned in the 2007 *Cosco Busan* oil spill impact zone in San Francisco Bay. *Proceedings of the National Academy of Sciences*, 109:E51-58.

Incardona, J.P., Vines, C.A., Linbo, T.L., Myers, M.S., Labenia, J.S., French, B.L., Olson, O.P., Sol, S.Y., Willis, M.L., Jarvis, M., Newman, J., Meeks, D. Menard, K., Sloan, C.A.,

Baldwin, D.H., Ylitalo, G.M., Collier, T.K., Cherr, G.N. and Scholz, N.L. (2012) Potent phototoxicity of marine bunker oil to translucent herring embryos after prolonged weathering. *Public Library of Science ONE*, 7(2): e30116. doi:10.1371/journal.pone.0030116.

Brooks, M. L., Fleishman, E., Brown, L. R., Lehman, P. W., Werner, I., Scholz, N., Mitchelmore, C., Lovvorn, J. R., Johnson, M. L., Schlenk, D., von Drunick, S., Drever, J. I., Stoms, D. M., Parker, A. E., and Dugdale. R. (2012). Life histories, salinity zones, and sublethal contributions of contaminants to pelagic fish declines illustrated with a case study of San Francisco Estuary, California, USA. *Estuaries and Coasts*, 35:603-621.

Scholz, N.L., Fleishman, E., Brooks, M.L., Mitchelmore, C.L., Werner, I., Johnson, M.L., Schlenk, D., and Brown, L. (2012). A perspective on modern pesticides, pelagic fish declines, and unknown ecological resiliency in highly managed ecosystems. *BioScience*, 62:428-434.

McIntyre, J.K., Baldwin, D.H., Beauchamp, D.A., and Scholz, N.L. (2012). Low-level copper exposures increase the visibility and vulnerability of juvenile coho salmon to cutthroat trout predators. *Ecological Applications*, 22:1460-1471.

Laetz, C.A., Baldwin, D.H., Hebert, V.R., Stark, J.D., and Scholz, N.L. (2013). The interactive neurobehavioral toxicity of diazinon, malathion, and ethoprop to juvenile coho salmon. *Environmental Science and Technology*, 47:2925-2931.

Jorgenson, B., Brown, L., Fleishman, E., Macneale, K.H., Schlenk, D., Scholz, N.L., Spromberg, J.A., Werner, I., Weston, D., Young, T.M., Zhang, M., and Zhao, Q. (2013). Predicted

transport of pyrethroid insecticides from an urban landscape to surface water. *Environmental Toxicology and Chemistry*, 32:2469-2477.

Incardona, J.P., Swarts, T.H., Edmunds, R.C., Linbo, T.L., Aquilina-Beck, A., Sloan, C.A., Gardner, L.D., Block, B.A., and Scholz, N.L. (2013). *Exxon Valdez to Deepwater Horizon*: comparable toxicity of both crude oils to fish early life stages. *Aquatic Toxicology*, 142-143:303-316.

Laetz, C.A., Baldwin, D.H., Hebert, V.R., Stark, J.D., and Scholz, N.L. (2014). Elevated temperatures increase the toxicity of pesticide mixtures to juvenile coho salmon. *Aquatic Toxicology*, 146:38-44.

Brette, F., Machado, B., Cros, C., Incardona, J.P., Scholz, N.L., and Block, B.A. (2014). Crude oil impairs cardiac excitation-contraction coupling in fish. *Science*, 343:772-776.

Incardona, J.P., Gardner, L.D., Linbo, T.L., Swarts, T.L., Esbaugh, A.J., Mager, E.M., Stieglitz, J.D., French, B.L., Labenia, J.S., Laetz, C.A., Tagal, M., Sloan, C.A., Elizur, A., Benetti, D.D., Grosell, M., Block, B.A., and Scholz, N.L. (2014). *Deepwater Horizon* crude oil toxicity to the developing hearts of large predatory pelagic fish. *Proceedings of the National Academy of Sciences*, 111: 201320950.

Macneale, K.H., Spromberg, J.A., Baldwin, D.H., and Scholz, N.L. (2014). A modeled comparison of direct and food web-mediated impacts of common pesticides on Pacific salmon. *Public Library of Science ONE*, 9: e92436.

Mager E.M., Esbaugh, A.J., Stieglitz, J.D., Hoenig, R., Bodinier, C., Incardona, J.P., Scholz, N.L., Benetti, D.D., and Grosell, M. (2014). Acute embryonic or juvenile exposure to *Deepwater Horizon* crude oil impairs the swimming performance of mahi mahi (*Coryphaena hippurus*). *Environmental Science and Technology*, 48:7053-7061.

McIntyre, J.K., Davis, J.W., Incardona, J.P., Stark, J.D., and Scholz, N.L. (2014). Zebrafish and clean water technology: assessing the protective effects of bioinfiltration as a treatment for toxic urban runoff. *Science of the Total Environment*. 500:173-180.

Scholz, N.L. and McIntyre (2014). Chemical pollution. In: *Conservation of freshwater fishes*. G.P. Closs, M. Krkosek, and J.D. Olden (eds.). Cambridge University Press, Cambridge. In press.

Scholz, N.L. and Incardona, J.P. (2014). Scaling PAH toxicity to fish early life stages. *Environmental Toxicology and Chemistry*, In press.

Incardona, J.P., Carls, M.G., Holland, L., Linbo, T.L., Baldwin, D.H., Myers, M.S., Peck, K.A., Tagal, M., Rice, S.D., and Scholz, N.L. (2014). Oil spills, impaired cardiac fitness, and the collapse of fisheries. Submitted.

McIntyre, J.K., Davis, J., Edmunds, R., Incardona, J.P., Scholz, N.L., and Stark, J.D. (2014). Soil bioretention protects juvenile salmon and their prey from the toxic effects of urban stormwater runoff. Submitted.

Spromberg, J.A., Baldwin, D.H., Damm, S.E., McIntyre, J.K., Huff, M., Davis, J.W., and Scholz, N.L. (2015). The recurring premature mortality of coho salmon spawners in western U.S. urban watersheds is caused by toxic stormwater runoff. In prep.

Feist, B.E., Buhle, E.R., Baldwin, D.H., Spromberg, J.A., Davis, J.W., and Scholz, N.L. (2015). Refined estimates of premature coho salmon spawner mortality in Puget Sound urban watersheds in relation to landscape condition and precipitation patterns. In prep.